Flush door panels

Technical catalogue | Aluminium entrance doors

PANEL LIST

DX 01
p. 8

DX 02
p. 9

DX 03
p. 10

DX 04
p. 11



DX 05
p. 12

DX 06
p. 13

DX 07
p. 14

DX 08
p. 15



DX 09
p. 16

DX 10
p. 17

DX 11
p. 18

DX 12
p. 19

DX 13
p. 20

DX 14
p. 21

DX 15
p. 22

PANEL LIST

DX 16
p. 23

DX 17
p. 24

DX 18
p. 25

DX 19
p. 26

DX 20
p. 27



DX 21
p. 28

DX 22
p. 29

DX 23
p. 30

DX 24
p. 31

DX 25
p. 32

DX 26
p. 33

DX 27
p. 34

DX 28
p. 35

DX 29
p. 36

DX 30
p. 37

PANEL LIST

DX 31
p. 38

DX 32
p. 39



DX 33
p. 40

DX 34
p. 41



DX 35
p. 42

DX 36
p. 43

DX 38
p. 44

DX 39
p. 45

ALASKA 1
p. 46

ALASKA 2
p. 47

ALASKA 3
p. 48



ALASKA 4
p. 49

ALASKA 5
p. 50

ARIZONA 1
p. 51

ARIZONA 2
p. 52

PANEL LIST

CALIFORNIA 1
p. 53

CALIFORNIA 2
p. 54

COLORADO 1
p. 55

FLORIDA 1
p. 56



FLORIDA 2
p. 57

FLORIDA 3
p. 58



HAWAII 1
p. 59

HAWAII 2
p. 60

HAWAII 3
p. 61

HAWAII 4
p. 62

HAWAII 5
p. 63

HAWAII 6
p. 64



MINNESOTA 1
p. 65

MONTANA 1
p. 66



MONTANA 2
p. 67

PANEL LIST

MONTANA 3
p. 68

MONTANA WOOD
p. 69

NEBRASKA 1
p. 70

NEW JERSEY 1
p. 71

NEW YORK 1
p. 72

NEW YORK 2
p. 73

OHIO 1
p. 74



PENNSYLVANIA 1
p. 75



PENNSYLVANIA 2
p. 76

PENNSYLVANIA 3
p. 77

PENNSYLVANIA 4
p. 78

PENNSYLVANIA 5
p. 79

STRAIGHT LINE 1
p. 80

STRAIGHT LINE 2
p. 81



STRAIGHT LINE 3
p. 82

PANEL LIST



STRAIGHT LINE 4
p. 83



STRAIGHT LINE 5
p. 84



STRAIGHT LINE 6
p. 85

TEXAS 1
p. 86

TEXAS WOOD
p. 87

WASHINGTON POCKET
p. 88

WASHINGTON WOOD
p. 89

WASHINGTON 1
p. 90

WASHINGTON 2
p. 91

WASHINGTON 3
p. 92

WASHINGTON 4
p. 93

WASHINGTON 5
p. 94

WASHINGTON 6
p. 95

WASHINGTON 7
p. 96

WASHINGTON 8
p. 97

DX01

model



outside

inside

version with a decorative overlay

OVERLAY

Inox

9005
F. S.

System	Min. Dimension	Max. Dimension
ALU	520x1740	1230x2620



The panel is also available as an infill version.

Smar t
Home

DX02

model



outside

inside

version with a decorative overlay

OVERLAY

Inox

System	Min. Dimension	Max. Dimension
ALU	625x1835	1230x2620

The panel is also available as an infill version.

Panel available only with frosted glass or blackline glass.

Smar t Home





DX03

model

outside

inside

version with a decorative overlay

OVERLAY

Inox

9005
F. S.

System	Min. Dimension	Max. Dimension
ALU	725x1840	1230x2620

The panel is also available as an infill version.



Smar t
Home

DX04

model



outside

inside



version with a decorative overlay

OVERLAY

Inox

9005
F. S.

System	Min. Dimension	Max. Dimension
ALU	670x1625	1230x2620



The panel is also available as an infill version.

Panel available only with frosted glass or blackline glass.

Smar t
Home

DX05

model



outside

inside



version with a decorative overlay

OVERLAY

Inox

9005
F. S.

System	Min. Dimension	Max. Dimension
ALU	740x1640	1230x2620

The panel is also available as an infill version.

Panel available only with frosted glass or blackline glass.

Smar t
Home



DX06

model

outside

inside

OVERLAY

Inox

9005
F. S.

System	Min. Dimension	Max. Dimension
ALU	650x1000	1230x2620

The panel is also available as an infill version.





Smar t
Home

DX07

model



outside

inside

version with a decorative overlay

OVERLAY

Inox

System	Min. Dimension	Max. Dimension
ALU	340x1250	1230x2620



The panel is also available as an infill version.

Smar t Home

DX08

model

outside

inside

System	Min. Dimension	Max. Dimension
ALU	670x1890	1230x2620



The panel is also available as an infill version.

Panel available only with frosted glass or blackline glass.

Smar t Home

DX09

model



outside



inside

OVERLAY

Inox

System	Min. Dimension	Max. Dimension
ALU	570x1522	1230x2620



The panel is also available as an infill version.

Smar t Home

DX10

model



outside

inside

OVERLAY

Inox

System	Min. Dimension	Max. Dimension
ALU	850x1690	1230x2620



The panel is also available as an infill version.

Smar t Home

DX11

model

outside

inside

version with a decorative overlay

OVERLAY

Inox

System	Min. Dimension	Max. Dimension
ALU	670x1740	1230x2620

The panel is also available as an infill version.







Smar t Home

DX12

model

outside



inside

version with a decorative overlay

OVERLAY

Inox

9005
F. S.

System	Min. Dimension	Max. Dimension
ALU	740x1740	1230x2620

The panel is also available as an infill version.



Smar t
Home

DX13

model

outside



inside

version with a decorative overlay

OVERLAY

Inox

9005
F. S.

System	Min. Dimension	Max. Dimension
ALU	740x1620	1230x2620



The panel is also available as an infill version.

Smar t
Home

DX14

model



outside

inside



version with a decorative overlay

OVERLAY

Inox

System	Min. Dimension	Max. Dimension
ALU	650x1940	1230x2620

The panel is also available as an infill version.



Smar t Home

DX15

model



outside

inside

OVERLAY

Inox

9005
F. S.

System	Min. Dimension	Max. Dimension
ALU	300x830	1230x2620



The panel is also available as an infill version.

Smar t
Home

DX16

model

outside

inside

OVERLAY

Inox

9005
F. S.

System	Min. Dimension	Max. Dimension
ALU	300x830	1230x2620



The panel is also available as an infill version.

Smar t
Home

DX17

model



outside



inside

OVERLAY

Inox

9005
F. S.

System	Min. Dimension	Max. Dimension
ALU	300x1370	1230x2620



The panel is also available as an infill version.

Smar t
Home

DX18

model

outside

inside

version with a decorative overlay

OVERLAY

Inox

9005
F. S.

System	Min. Dimension	Max. Dimension
ALU	740x1700	1230x2620



The panel is also available as an infill version.

Smar t
Home

DX19

model

outside

inside

version with a decorative overlay

OVERLAY

Inox

9005
F. S.

System	Min. Dimension	Max. Dimension
ALU	610x1700	1230x2620



The panel is also available as an infill version.

Smar t
Home

DX20

model

outside

inside



version with a decorative overlay

OVERLAY

Inox

System	Min. Dimension	Max. Dimension
ALU	824x1750	1230x2620

Version with a 12 mm groove.



Smar t Home

DX21

model



outside

inside

System	Min. Dimension	Max. Dimension
ALU	655x1710	1230x2620

Version with a 12 mm groove.







Smar t Home

DX22

model



outside

inside



version with a decorative overlay

OVERLAY

Inox

System	Min. Dimension	Max. Dimension
ALU	820x1750	1230x2620

Version with a 12 mm groove.



Smar t Home

DX23

model



outside

inside

version with a decorative overlay

OVERLAY

Inox

System	Min. Dimension	Max. Dimension
ALU	740x1800	1230x2620

The panel is also available as an infill version.

Panel available only with frosted glass or blackline glass.

Smar t Home



DX24

model

outside

inside

System	Min. Dimension	Max. Dimension
ALU	530x1900	1230x2620



Smar t Home

DX25

model

outside

inside

version with a decorative overlay

OVERLAY

Inox

System	Min. Dimension	Max. Dimension
ALU	550x1670	1230x2620

The panel is also available as an infill version.



Smar t Home

DX26

model

outside

inside

version with a decorative overlay

OVERLAY

Inox

9005
F. S.

System	Min. Dimension	Max. Dimension
ALU	670x1740	1230x2620

The panel is also available as an infill version.



Smar t
Home

DX27

model

outside

inside

version with a decorative overlay

OVERLAY

Inox

System	Min. Dimension	Max. Dimension
ALU	740x1890	1230x2620

The panel is also available as an infill version.

Panel available only with frosted glass or blackline glass.





Smar t Home

DX28

model

outside

inside



version with a decorative overlay

OVERLAY

Inox

System	Min. Dimension	Max. Dimension
ALU	660x1700	1230x2620

The panel is also available as an infill version.

Panel available only with frosted glass or blackline glass.

Smar t Home



DX29

model

outside

inside

version with a decorative overlay

OVERLAY

Inox

System	Min. Dimension	Max. Dimension
ALU	630x1640	1230x2620

The panel is also available as an infill version.



Smar t Home

DX30

model

outside

inside

version with a decorative overlay

OVERLAY

Inox

System	Min. Dimension	Max. Dimension
ALU	560x1790	1230x2620

The panel is also available as an infill version.



Smar t Home

DX31

model

outside

inside

OVERLAY

Inox

System	Min. Dimension	Max. Dimension
ALU	600x1700	1230x2620





The panel is also available as an infill version.

Smar t Home

DX32

model

outside

inside

System	Min. Dimension	Max. Dimension
ALU	700x1850	1230x2620

Version with a 12 mm groove.





Smar t Home

DX33

model



outside



inside

System	Min. Dimension	Max. Dimension
ALU	600x1700	1230x2620



Version with a 12 mm groove.

Smar t Home

DX34

model

outside

inside

OVERLAY

Inox

System	Min. Dimension	Max. Dimension
ALU	600x1700	1230x2620

Version with a 12 mm groove.





Smar t Home

DX35

model

outside

inside

OVERLAY

Inox

System	Min. Dimension	Max. Dimension
ALU	600x1800	1230x2620

Version with a 12 mm groove.



Smar t Home

DX36

model

outside

inside

System	Min. Dimension	Max. Dimension
ALU	670x1800	1230x2620



The panel is also available as an infill version.

Smar t Home

DX38

model

outside

inside

OVERLAY

RAL

System	Min. Dimension	Max. Dimension
ALU	500x2050	1230x2620



Smar t Home

DX39

model

outside

inside

OVERLAY

RAL

System	Min. Dimension	Max. Dimension
ALU	500x1800	1230x2620





Smar t Home

Alaska 1

model



outside



inside



version with a decorative overlay

OVERLAY

Inox

9005
F. S.

System	Min. Dimension	Max. Dimension
ALU	500x1630	1230x2620
ALU (decorative overlay)	570x1710	1230x2620

The panel is also available as an infill version.



Smar t
Home

Alaska 2

model



outside



inside

version with a decorative overlay

OVERLAY

Inox

9005
F. S.

System	Min. Dimension	Max. Dimension
ALU	500x1815	1230x2620
ALU (decorative overlay)	570x1900	1230x2620

The panel is also available as an infill version.



Smar t
Home

Alaska 3

model

outside



inside

System	Min. Dimension	Max. Dimension
ALU	610x1630	1230x2620





Smar t Home

Alaska 4

model



outside



inside

version with a decorative overlay

OVERLAY

Inox

9005
F. S.

System	Min. Dimension	Max. Dimension
ALU	500x1875	1230x2620
ALU (decorative overlay)	570x1955	1230x2620

The panel is also available as an infill version.



Smar t
Home

Alaska 5

model

outside

inside

System	Min. Dimension	Max. Dimension
ALU	610x1820	1230x2620



Smar t Home

Arizona 1

model



outside

inside

version with a decorative overlay

OVERLAY

Inox

9005
F. S.

System	Min. Dimension	Max. Dimension
ALU	732x1650	1230x2620
ALU (decorative overlay)	812x1730	1230x2620

The panel is also available as an infill version.



Smar t
Home

Arizona 2

model

outside

inside

version with a decorative overlay

OVERLAY

Inox

9005
F. S.

System	Min. Dimension	Max. Dimension
ALU	350x1820	1230x2620
ALU (decorative overlay)	450x1900	1230x2620

The panel is also available as an infill version.

Smar t
Home



California 1

model



outside



inside

version with a decorative overlay

OVERLAY

Inox

9005
F. S.

System	Min. Dimension	Max. Dimension
ALU	820x1670	1230x2620
ALU (decorative overlay)	820x1800	1230x2620

The panel is also available as an infill version.



Smar t
Home

California 2

model



outside

inside

version with a decorative overlay

OVERLAY

Inox

9005
F. S.

System	Min. Dimension	Max. Dimension
ALU	820x1920	1230x2620
ALU (decorative overlay)	820x2100	1230x2620

The panel is also available as an infill version.



Smar t
Home

Colorado 1

model

outside

inside

OVERLAY

Inox

9005
F. S.

System	Min. Dimension	Max. Dimension
ALU	540x1660	1230x2620



The panel is also available as an infill version.

Smar t
Home

Florida 1

model

outside

inside

version with a decorative overlay

OVERLAY

Inox

9005
F. S.

System	Min. Dimension	Max. Dimension
ALU	690x1840	1230x2620
ALU (decorative overlay)	770x1840	1230x2620

The panel is also available as an infill version.

Smar t
Home



Florida 2

model



outside

inside

System	Min. Dimension	Max. Dimension
ALU	770x1840	1230x2620







Smar t Home

Florida 3

model

outside

inside

System	Min. Dimension	Max. Dimension
ALU	770x1840	1230x2620





Smar t Home

Hawaii 1

model



outside



inside

version with a decorative overlay

OVERLAY

Inox

9005
F. S.

System	Min. Dimension	Max. Dimension
ALU	570x1900	1230x2620
ALU (decorative overlay)	650x1980	1230x2620

The panel is also available as an infill version.



Smar t
Home

Hawaii 2 / WITH A DECORATIVE OVERLAY

model

outside

inside

OVERLAY

Inox

9005
F. S.

System	Min. Dimension	Max. Dimension
ALU	650x1920	1230x2620



The panel is also available as an infill version.

Smar t
Home

Hawaii 3 / WITH A DECORATIVE OVERLAY

model

outside

inside

OVERLAY

Inox

9005
F. S.

System	Min. Dimension	Max. Dimension
ALU	650x1920	1230x2620



The panel is also available as an infill version.

Smar t
Home

Hawaii 4

model

outside



inside

System	Min. Dimension	Max. Dimension
ALU	570x1900	1230x2620



Smar t Home

Hawaii 5

model

outside

inside

System	Min. Dimension	Max. Dimension
ALU	800x1520	1230x2620





Smar t Home

Hawaii 6

model

outside

inside

System	Min. Dimension	Max. Dimension
ALU	800x1520	1230x2620





Smar t Home

Minnesota 1

model

outside

inside

System	Min. Dimension	Max. Dimension
ALU	580x1820	1230x2620



Smar t Home

Montana 1

model

outside

inside

version with a decorative overlay

OVERLAY

Inox

9005
F. S.

System	Min. Dimension	Max. Dimension
ALU	500x1420	1230x2620
ALU (decorative overlay)	570x1600	1230x2620

(not available in wood)

The panel is also available as an infill version.



Smar t
Home

Montana 2 / WITH A DECORATIVE OVERLAY

model



outside

inside

OVERLAY

Inox

9005
F. S.

System	Min. Dimension	Max. Dimension
ALU	790x1640	1230x2620





The panel is also available as an infill version.

Smar t
Home

Montana 3 / WITH A DECORATIVE OVERLAY

model

outside



inside

OVERLAY

Inox

9005
F. S.

System	Min. Dimension	Max. Dimension
ALU (decorative overlay)	800x1700	1230x2620





The panel is also available as an infill version.

Smar t
Home

Montana Wood

model

outside

inside

System	Min. Dimension	Max. Dimension
ALU	590x1640	1230x2620



Smar t Home

Nebraska 1

model

outside



inside

version with a decorative overlay

OVERLAY

Inox

9005
F. S.

System	Min. Dimension	Max. Dimension
ALU	730x1840	1230x2620
ALU (decorative overlay)	800x1920	1230x2620

The panel is also available as an infill version.





Smar t
Home

New Jersey 1

model

outside

inside

version with a decorative overlay

OVERLAY

Inox

9005
F. S.

System	Min. Dimension	Max. Dimension
ALU	790x1640	1230x2620



The panel is also available as an infill version.

Smar t
Home

New York 1

model

outside

inside

System	Min. Dimension	Max. Dimension
ALU	632x1940	1230x2620



The panel is also available as an infill version.

Smar t Home

New York 2

model

outside

inside

System	Min. Dimension	Max. Dimension
ALU	632x1940	1230x2620







Smar t Home

Ohio 1 / WITH A DECORATIVE OVERLAY

model



outside

inside

OVERLAY

Inox

9005
DR. STR.

System	Min. Dimension	Max. Dimension
ALU	800x1800	1230x2620



The panel is also available as an infill version.

Smar t
Home

Pennsylvania 1 WITH A DECORATIVE OVERLAY

model

outside

inside

OVERLAY

Inox

9005
F. S.

System	Min. Dimension	Max. Dimension
ALU	800x1850	1230x2620



The panel is also available as an infill version.

Smar t
Home

Pennsylvania 2

model



outside



inside



version with a decorative overlay

OVERLAY

Inox

9005
F. S.

System	Min. Dimension	Max. Dimension
ALU	556x1620	1230x2620
ALU (decorative overlay)	800x1700	1230x2620

The panel is also available as an infill version.



Smar t
Home

Pennsylvania 3 / WITH A DECORATIVE OVERLAY

model

outside

inside

OVERLAY

Inox

9005
F. S.

System	Min. Dimension	Max. Dimension
ALU	830x1790	1230x2620



The panel is also available as an infill version.

Smar t
Home

Pennsylvania 4

model



outside

inside

System	Min. Dimension	Max. Dimension
ALU	700x1960	1230x2620

The panel is also available as an infill version.

Smar t Home

Pennsylvania 5

model

outside

inside

System	Min. Dimension	Max. Dimension
ALU	630x1760	1230x2620



Smar t Home

Straight Line 1

model

outside

inside

System	Min. Dimension	Max. Dimension
ALU	700x1600	1230x2620



Smar t Home

Straight Line 2

model

outside

inside

System	Min. Dimension	Max. Dimension
ALU	700x1600	1230x2620



Smar t Home

Straight Line 3

model



outside

inside

System	Min. Dimension	Max. Dimension
ALU	700x1900	1230x2620



Smar t Home

Straight Line 4

model



outside

inside

System	Min. Dimension	Max. Dimension
ALU	700x1900	1230x2620



Smar t Home

Straight Line 5

model



outside

inside

System	Min. Dimension	Max. Dimension
ALU	700x1600	1230x2620



Smar t Home

Straight Line 6

model

outside

inside

System	Min. Dimension	Max. Dimension
ALU	700x1600	1230x2620



Smar t Home

Texas 1

model

outside

inside

version with a decorative overlay

OVERLAY

Inox

9005
F. S.

System	Min. Dimension	Max. Dimension
ALU	800x1920	1230x2620

The panel is also available as an infill version.





Smar t
Home

Texas Wood

model

outside

inside

System	Min. Dimension	Max. Dimension
ALU	830x1840	1230x2620



The panel is also available as an infill version.

Smar t Home

Washington Pocket

model

outside

inside

System	Min. Dimension	Max. Dimension
ALU	600x1840	1230x2620



Smar t Home

Washington Wood

model

outside

inside

System	Min. Dimension	Max. Dimension
ALU	600x1840	1230x2620



Smar t Home

Washington 1

model

outside

inside

System	Min. Dimension	Max. Dimension
ALU	600x1840	1230x2620



Smar t Home

Washington 2

model

outside

inside

System	Min. Dimension	Max. Dimension
ALU	600x1840	1230x2620



Smar t Home

Washington 3

model

outside

inside

System	Min. Dimension	Max. Dimension
ALU	600x1840	1230x2620





Smar t Home

Washington 4

model

outside

inside

System	Min. Dimension	Max. Dimension
ALU	600x1840	1230x2620



Smar t Home

Washington 5

model

outside

inside

System	Min. Dimension	Max. Dimension
ALU	600x1840	1230x2620



Smar t Home

Washington 6

model

outside

inside

System	Min. Dimension	Max. Dimension
ALU	600x1840	1230x2620



Smar t Home

Washington 7

model

outside

inside

System	Min. Dimension	Max. Dimension
ALU	600x1840	1230x2620



Smar t Home

Washington 8

model

outside

inside

System	Min. Dimension	Max. Dimension
ALU	600x1840	1230x2620



Smar t Home

FRAMELITE
VISION ENCASED IN ELITE FRAMES

DISCUSS YOUR PROJECT

The right details.
One point of contact.

Send us your drawings, opening dimensions or preferred door designs. We can help with system selection, finishes, glazing and the details needed to prepare your quotation.

---

sales@framelite.co.uk

07983 536 260

www.framelite.co.uk

Specification / Technical design / Supply / Installation